Citrix 入门教程系列

之 XenApp For 2003

Froyo Yao

Qhyl621@163.com

BBS: <u>http://www.toxen.com.cn</u>

目录

	Froyo Yao 1
	Qhyl621@163.com1
-,	测试环境3
	软硬件环境3
<u> </u>	安装步骤3
	I)安装前准备3
	II)Windows 组件配置3
	III)XenApp 安装6
三、	基本配置19
	I)导入 License
	II)配置 XenApp Delivery Service Console21
	III)配置 License
	IV)配置 Web Interface
	1、创建用于 WEB 登录的站点25
	2、创建用于客户端插件(PNA)登录的站点
	V)发布应用程序
	VI)XenApp 系统测试40
三、	管理配置41

一、测试环境

本次实验为了尽可能的简化环境和方便初学者,采用工作组环境部署,不使用域架构。

软硬件环境

本次实验采用 XenServer 虚机测试

操作系统: 2003R2 SP2

安装镜像(XenApp 光盘): XA50_FP2_WS03_EN.ISO

XenApp 测试 License: 略

二、安装步骤

I)安装前准备

 准备好操作系统以后,请先安装 dot net Framwork 3.5SP1 以及 KB961118 和 KB956572。
 注意: DotNet3.5 可以在 XenApp 光盘 X:\Support\DotNet35 目录下找到.KB961118 需要先 安装 DotNet3.5,才能安装 KB961118。

II)Windows 组件配置

1、添加 XenApp 所需的组件:开始菜单\控制面板\添加删除程序\添加删除 windows 组件

ß							
👸 添加或 🂵	能程序						
		i安装的程序和更新: Tindors 组件向导 Tindors 组件向导 可以添加或删除 Windows 自 要添加或删除某个组件,请 一部分。要查看组件内容, 组件 ©: ▼ 《 应用程序服务器 ● 通证书服务 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》發端服务器 ▼ 》	✓	显示更新 ①) ■ 旁边的复选框。 "详细信息"。 ET 应用程序。 5.1 MB 4.3 MB	排序方式 (c) 文色框表示只会5	D: 名称 大小 1 已使用 安装该组件的→ 27.4 MB 0.0 MB 0.0 MB 7.0 MB 0.0 MB 0.0 MB	- □ × - □ × - □ × - □ × - 16MB - 1 - 12 - 13
		<				已安装 2011	-1-13

图 1 勾选应用程序服务器和终端服务器以及授权,注意勾选 ASP.NET

2、勾选完毕后,下一步

Tindows 組件向导	×
Tindows 組件 可以添加或删除 Windows 的组件。	t
要添加或删除某个组件,请单击旁边的复选框。灰色 一部分。要查看组件内容,请单击"详细信息"。	他框表示只会安装该组件的
组件 (C):	
☑ (] 应用程序服务器	34.4 MB 🔺
🗆 🔂 远程存储	4.1 MB
🗆 📴 证书服务	1.4 MB
☑	0.0 MB
▼ 9%端服务器授权	0.9 MB 🗾
描述: 包括 ASP.NET,Internet 信息服务(IIS 台。	3)和应用程序服务器控制
所需磁盘空间: 15.1 MB	详细信 <u>自</u> (1)
可用磁盘空间: 6054.3 MB	итриналь (ш)
<上一步(B) <mark>下一步(B) ></mark>	取消 帮助



图 3

Tindows 組件向导 🛛 📉
终端服务器安装程序 需要一个 Windows Server 2003 终端服务器许可证服务器。您可以现在 或在 120 天内指定许可证服务器。
注意: 此终端服务器必须在 120 天内与 Windows Server 2003 终端服务器许 可证服务器连接才能保证继续运行。
○ 使用下列许可证服务器 (U):
检查名称 (C)
○ 使用自动搜索的许可证服务器 (A)
● 我将在 120 天内指定许可证服务器(工)。
< 上一步 (2) 下一步 (2) > 取消 帮助

图 4 如果没有 TS 授权服务器,可以选择 120 内指定



图 5选择 TS 授权模式,可以根据自己情况选择授权方式

3、组件安装的剩余步骤全部默,直到安装完毕提示重启后,进入下一步。

III)XenApp 安装

1、 挂载光盘或者镜像后,运行 autorun.exe

•	Citrix XenApp
10	
installation program for Citrix XenApp. From here you can install corr r learn more about how to install and use it.	ponents of the
View XenApp Documentation Open Citrix eDocs online documentation	- 1
Install XenApp Select components of Citrix XenApp to install on this machine	
Browse Media Browse the contents of this media	
	ne installation program for Citrix XenApp. From here you can install corr r learn more about how to install and use it. <u>View XenApp Documentation</u> Open Citrix eDocs online documentation <u>Install XenApp</u> Select components of Citrix XenApp to install on this machine <u>Browse Media</u> Browse the contents of this media

图 6 Install XenApp



🖻 Citrix XenApp Setup Tizard 🗙 🗙
Citrix
To continue you must accept the terms of the license agreement.
CITRIX [®] LICENSE AGREEMENT This is a legal agreement ("AGREEMENT") between you, the Licensed User, and Citrix Systems, Inc., Citrix Systems International GmbH, or Citrix Systems Asia Pacific Pty Ltd. Your location of receipt of this product or feature release (both hereinafter "PRODUCT") or technical support (hereinafter "SUPPORT") determines the providing entity hereunder (the applicable entity is hereinafter referred to as "CITRIX"). Citrix Systems, Inc., a Delaware corporation, licenses this PRODUCT in the Americas and Japan and provides SUPPORT in the Americas. Citrix Systems International GmbH, a Swiss company wholly owned by Citrix Systems, Inc., licenses this PRODUCT and provides SUPPORT in Europe, the Middle East, and Africa, and licenses the PRODUCT in A sign and the Pacific (excluding Japan). Citrix Systems A sign
Desifie Dirr I to neorridee STIDDODT in Asia and the Desifie (arehiding Isnan). DV
< Previous <u>N</u> ext > Cancel
图 8







🖷 Citrix XenApp Setup Wizard	×
	CITRIX
Component Selection	Describlica
 XenApp Advanced Configuration Web Interface Citrix plug-ins Offline plug-in Online plug-in Power and Capacity Management Service Monitoring Single Sign-On SmartAuditor Citrix Licensing License Server 1 License Management Console 	Citrix XenApp is an end-to-end Application Delivery solution that delivers all Windows applications to all users and locations.
< Previous	2 Next > Cancel

图 11 勾选 Citrix Licensing 组件, 然后下一步

🖻 Citrix XenApp Setup Tizard			×
			CITRIX
Product Installation Directory			
Setup will install Citrix products in the following fo	lder.		
C:\Program Files\Citrix\		Br	owse
	< Previous	<u>N</u> ext >	Cancel

图 12

🖷 Citrix IenApp Setup Tizard	×
	CITRIX
XenApp - Create or Join a Farm	
Servers running Citrix XenApp are grouped into farms. If this is the first server to be installed in a farm, click Create new farm. To jo click Join existing farm.	in an existing farm,
Create new farm I Earm name: FroyoFarm	
O join existing farm	
< Previous	Cancel

图 13 创建 Farm (集群),并设置 Farm Name

🖷 Citrix XenApp Setup Tizard 🔀
CITRIX
XenApp - Create a Server Farm
To create a server farm, you can select to:
Create a local database server.
Database Type: Access Database
Set up an ODBC connection to an existing database server to create the data store.
Database Type: SQL Server
Server Name: Configure
You can also use the default zone name or specify one.
🔽 Use default zone name
Zone Name: 10.0.0
< Previous Next > Cancel

图 14 使用默认 Access 数据库作为 Data Store 即可

🖻 Citrix XenA	pp Setup Tizard
	CITRIX
XenApp - Farm	Administrator Credentials
Specify the Windo complete, this ad	ows domain user to be the administrator of this server farm. When setup is ninistrator may use the management console to assign additional administrators.
<u>U</u> ser Name:	Administrator
<u>D</u> omain:	XA2003R2
	< <u>Previous</u> <u>Next</u> > Cancel

图 15 XenApp Farm(集群)的管理员

🖻 Citrix XenApp Setup Tizard 🛛 🔀
Сітріх
UIK,X
XenApp - IMA Encryption
Enabling IMA encryption provides a more robust AES algorithm to protect sensitive data in the IMA datastore. In order to use this feature, identical encryption keys must be loaded in all servers in a farm.
If you do not enable this feature now, the standard encryption algorithm will be used. You may enable this feature any time after installation.
Enable IMA Encryption
< <u>Previous</u> Cancel

图 16



图 17 安装完成后再配置 License 服务器

🖻 Citrix XenApp Setup Tizerd 🔀 🔀
Citrix
XenApp - Shadowing Configuration
Configure the shadowing functionality for ICA and RDP sessions on this server.
If you allow shadowing, users may shadow other user sessions on this server. Remote control allows keyboard and mouse interaction while shadowing.
IMPORTANT: Prohibiting shadowing during setup is permanent. If you allow shadowing now, you can change this setting later or override it with user policies.
Allow shadowing of user sessions on this server
Pro <u>h</u> ibit remote control
Eorce a shadow acceptance popup
Log all shadow connections
< <u>P</u> revious <u>N</u> ext > Cancel

图 18

🖷 Citrix XenApp Setup Tizard
CİTRIX
XenApp - XML Service Port Configuration
The Citrix XML Service Port provides the Web Interface and clients connecting over TCP/IP with the names of published applications available in a server farm.
Select the TCP/IP port option to use for the Citrix XML Service:
 Share the TCP/IP port with Internet Information Services Enable virtual scripts to continue Use a separate port 1 Port: 8080
< <u>Previous</u> Cancel

图 19 推荐使用独立的 XML 服务端口(不和 IIS 共享 80)

🖻 Citrix XenApp Setup Tizard 🔀
CİTRIX
XenApp - Remote Desktop Users Configuration
To connect remotely to Citrix servers running on Windows Server 2003, users must be members of the Remote Desktop Users group.
To add users, you can:
C Add the Authenticated Users group
Add all users in the Users group
\odot Skip this step and add users later
You can also create anonymous users and add them.
Create anonymous users
If you skip this step, only administrators can connect remotely to this server.
SECURITY NOTE: Any user added to the Remote Desktop Users group will have access via ICA and RDP connections.
< <u>Previous</u> Cancel

图 20

🖻 Citrix XenApp Setup Tizard 🔀
CITRIX
XenApp - Server Address for Citrix online plug-in
The Citrix online plug-in must be aware of the location of the web server hosting the Web Interface.
Enter the URL of the web server that is hosting the Web Interface.
Server URL: Jocalhost
< <u>P</u> revious <u>N</u> ext > Cancel

🖻 Citrix XenApp Setup Tizard	×
	CITRIX
License Server - License File Location	
Specify the folder for storing your Citrix license files.	
C:\Program Files\Citrix\Licensing\MyFiles\	Browse
If you do not have a license file, download one from MyCitrix at http://secureportal.citrix.com/mycitrix/launch/licensemain.aspx	
< <u>P</u> revious <u>N</u> ext >	Cancel

图 22

🖻 Citrix XenApp Setup Tizard	×
	CITRIX
License Server - Port Configuration	
Specify the port number of the license server within the range of 1 to 65535.	
License Server Port: 27000	
Specify the port number of the vendor daemon within the range of 1 to 65535.	
Vendor Daemon Port: 7279	
< <u>P</u> revious <u>N</u> ext >	Cancel



图 24

🖻 Citrix XenApp Setup Tizard	×
CITRIX	
Web Interface - Plug-in Configuration	
Select to copy the plug-in packages from the installation media to the Web Interface folder. 1 Copy plug-in packages to Web Interface install folder.	
Provide the location of the plug-in packages:	
D:\Citrix Receiver and Plug-ins Browse	
<pre> 2 < <u>Previous</u> <u>Next > Cancel </u></pre>	



图 26



图 27 开始安装

🖻 Citrix XenApp Setup Wizerd	R	X
	сіт	RIX.
Please wait while components are installed		
V Prerequisites		
🖻 Restart Computer		\times
It is necessary to restart your computer to fin Do you want to initiate a restart? 正定① 否例	ish the installat	tion.
Component: Offline plug-in		
Action: Configuring		
< <u>P</u> revious	lext > Car	ncel

图 28 安装完毕后,重启启动

三、基本配置

I)导入 License



图 29 打开 IE, 输入以上 <u>http://lcoalhost/lmc/index.jsp</u>

🚰 Configuration : License Files - 🗴	a2003r2 - Citrix License Manage	em en
文件(F) 编辑(E) 查看(Y) 收藏(A) 工	具(T) 帮助(H)	🥂
🔇 后退 🔹 🕤 👻 😰 🚮 🔎 搜索 🔮	7 收藏夹 🥝 😥 🍡 🍃 🔜	
地址 (D) 🗃 http://localhost/lmc/configura	ation/licenseFiles.jsp 🔽	→ 转到 链接 ≫
Current Usage Historical Usa	ge > Contiguration Use	r Administratio
License Files File Locations Threshold Options	License Files Update license data 📴	
License files folder on license server:	: C:\Program Files\Citrix\Licensin	g\MyFiles\
To add or update licenses for this lice Step 1: Download license file from My Step 2: Copy license file to this licens	ense server: yCitrix.com 🖻 e server 🔟	•
1		
æ		Intranet //

图 30 选择 Copy License file to this license server

🚰 Configuration : Uj	pload license file -	xa2003r2 - Citrix L	icense 🛯 an 💶 🗙
文件(王) 编辑(王) 查報	看(Y) 收藏(A) 工具(T)	帮助(H)	an an an an an an an an an an an an an a
Ġ 后退 👻 🕥 🖌 🗾 💈	👌 🏠 🔎 搜索 👷 收藏	浃 🤗 🔗 🍃 📄	
地址 (D) 🙆 http://loca	lhost/lmc/configuration/	/uploadLicenseFile.jsp	🔽 🔁 转到 🛛 链接 ᠉
License Man	agement Cor	sole	
	- j		
Current Usage	Historical Usage	→ Configuration	User Administration
Liconso Eilos			
File Locations	U	pload licens	e file
Threshold Option	s		
			1
License File	\\10.0.0.40\iso\license_»	(a2003r2.lic	
2	Ininad D Cance		
•			
Ē			

图 31 浏览选择 license 文件,然后 Upload

II) 配置 XenApp Delivery Service Console

打开应用发布控制台(开始\所有程序\Citrix\Management Console\Delivery Service Console)



图 32 第一次运行会自动弹出该提示,选择 Next

onfigure and run discover	y				
Select Products or Compone	nts				
Steps Velcome Select Products or Configure Discovery Discovery Progress	Select the products or components in discovery to search for. Froducts or components: Citrix Resources Configuration Tools XenApp	. your deplo	yment that cont	ain the items you	want
			< <u>B</u> ack	<u>N</u> ext >	Cancel

Configure and run discovery	y and the second second second second second second second second second second second second second second se
Select Servers	
	
Steps	Specify at least one server running litrix XenApp in each farm that you want to administer.
✓ Welcome	Add Local Computer
✔ Select Products or	Servers:
Components	
Configure Discovery	
ХевАрр	<u>R</u> emove
Select Servers	
Preview Discovery	
Discovery Progress	
	< Back Z Cancel

Discovery Progress	ry					
Use this page to monito	or the progress of d	liscovery and check a	ny errors.			
/ Welcome / Select Products or Components	Discovery com	ıpleted		••••		Stop Discover
Configure Discovery XenApp Select Servers	Errors: Doubl	s wizard when discover le-click bold items t	o show addition:	al detail.		
 Preview Discovery DiscoveryProgress 						
					_2	-
				< <u>B</u> ack	<u>F</u> inish	Cancel



图 33 运行完 Discovery 以后正常打开界面

III) 配置 License

Citrix Delivery Services Const	soleX
文件(ᢧ) 操作(ム) 查看(⊻) 帮助(♪	D
	😫 🖬
 Citrix Delivery Services Console Alerts Search Results My Views Report Center Licensing Disgnostic Facility Citrix Resources Configuration Tools Configuration Tools Admin Admin Admin Change displ New Serve Modify farm Moni Save in My V State (U) Self (C) /ul>	Nome Ny Views Search Kome My Views Search Common Tasks Change display New New Modify farm properties Refresh user data Save in My Views in on objects types gement Is nced on Contents FroyoFarm Citrix Contents Administrators Choose columns Administrators Select one or more items to view details and associated tasks
FroyoFarm - Farm Properties	License Server
Farm-wide Connection Access Controls Connection Limits Isolation Environment Health Monitoring & Recovery Configuration Logging Memory/CPU Exclude Applications Optimization Interval XenApp General Shadow Policies HOX Broadcast Session Reliability Citrix Streaming Server Virtual IP Address Configuration Trocess Configuration Loopback Configuration Server Default HOX Broadcast Adto Client Reconnect Display Keep-Alive Remote Connections Isolation Environment License Server	Select any of the subcategories listed in the tree to set properties for individual pages. Specify either a new license server name or an IP address. Name: Port number (default 27000): 27000 = 27000 = 2



IV) 配置 Web Interface

打开 Citrix Web Interface Management (开始\所有程序\Citrix\Management Console\Citrix Web

Interface Management)

1、创建用于 WEB 登录的站点



Create Site		x
CİTRIX		
•		
Specify II	SLocation	
Specify the	IIS location in which the site is hosted. This determines the URL for users to access the site.	
<u>I</u> IS site:	默认网站	
<u>P</u> ath:	/Citrix/XenApp/	
Name:	XenApp	
-	Viset as the default page for the IIS site	
	Next > Cancel	

图 35 剩下全部默认配置,直到下图

Create Site		
CİTRIX.		
CreatingSite		
Site successfully created		
]	
You can configure the site now. If you continue without configuring the site, the default configuration will be applied.		
Configure this site now		
< <u>B</u> ack	<u>N</u> ext >	Cancel

图 36 选择 Configure this site now

Speci fy	Initial	Configuration	- XenAp
----------	---------	---------------	---------

CITRIX.

SpecifyServerFarm

Specify details of the server farm providing the resources. Settings using the Server Farms task.	can be updated after initial configuration
Farm name: Froyo	
Servers (in failove Add Server	×
Server name: 2 localhost	
ок	Cancel
Add Edit <u>R</u> emove	
XML Service port: 8080 4	
Iransport type: HTTP	
SSL Relay port: 443	
	5
	Next > Cancel

图 37 注意添加完 XenApp Server 后,注意图中 4 的 XML 端口配置

Specify Initial Configuration - XenApp CITRIX		×
Specify Logon Screen Appearance		
 Minimal Display only the logon fields for the selected authentication method. Note: The Messages and Preferences buttons will not appear on the Logon screen. Full Display the header area and navigation bar, including the Messages and Preferences buttons. 		
	< Back Next > Cancel	

×

ecify Initial Configuration - XenApp	
CITRIX'	
Confirm Settings	
heck the summary information below. To make any changes, click Back.	
Fare name	
Froyo	
Servers	
localhost	
XIII. Service port 8080	
XEL Service transport type HTTP	
Authentication methods	
Explicit	
Domain restriction	
Allow any domains	
Logon screen	
< 1	Back Finish Cancel

图 38 中间配置省略截图使用默认设置即可

ditrix 🛙	XenApp - 登录 - ∎icrosoft Internet Explorer	
文件(图) 🐇	编辑 (E) 查看 (Y) 收藏 (A) 工具 (E) 帮助 (H)	1
🔇 后退 👻	🕤 🔻 🗾 😚 🔎 搜索 🌟 收藏夹 🚱 😥 🕞	
地址 @) 🙋	http://localhost/Citrix/XenApp/auth/login.aspx 🗾 🚽 转到	链接 >>
	欢迎	
	登录后访问应用程序。	
	用户名:	
	3775A.	
	域: 2	
	豆水	
		-
•		F
ど 完毕	│ │ │ │ │ │ │ │ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	

图 39 打开 IE, 输入 localhost, 能看到此页面, 证明 IIS 工作正常(第一次登陆时间较长)



图 40 输入管理员账号, 密码, 域(工作组环境域填写当前机器名)

④Citrix XenApp - 应用程序 - ■icrosoft Internet Explorer	
文件 (E) 编辑 (E) 查看 (V) 收藏 (A) 工具 (T) 帮助 (H)	1
🔇 后退 ▼ 🕥 ▼ 🖹 👔 🏠 🔎 搜索 👷 收藏夹 🥝 😥 🕹 🚍	
地址 @) 💣 http://localhost/Citrix/XenApp/site/default.aspx 💽 🔁 转到	链接 >>
CITRIX	
应用程序 消息 首选项 →	
登录身份: administrator	
目前没有可供该用户使用的资源。	
🙋 完毕 🛛 🔰 👘 🔛 本地 Intranet	

图 41 能正常登陆,并看到黄色提示信息,证明 Web Interface 站点配置正确

2、创建用于客户端插件(PNA)登录的站点

Citrix Teb Interface Management	
文件 (2) 操作 (4) 查看 (Y) 帮助 (4)	
Citrix Web Interface XenApp Services Sites	操作
Site IRL	IenApp Services Sites 🔺
1 Create Site thttp://xa2003r2/Citrix/PNAgent	Create Site
查看 (Y) 🔸	査看 ▶
刷新定)	🗟 刷新
帮助 00 >	2 帮助 ▶
No Selection	
Select a single site from the site list to view details of its configuration.	

图 42 后续步骤参考用于 WEB 登录方式站点的设置

VJ发布应用程序

打开 Delivery Services Console (开始\所有程序\Citrix\Management Console\Delivery Services Console)

BBS: <u>http://www.toxen.com.cn</u>



图 43 选择 Farm\Application\New\Publish Application

ublish Application (1/8)
CİTR <u>İ</u> X'	
Telcome	
Steps	This is the application publishing wizard for XenApp. It will guide you through the process of publishing an application.
▶ Telcome	
Basic	Select Next to continue or Cancel to stop the application publishing process.
Name	
Туре	After publishing an application, you can change its settings by selecting the published application and changing Modify application properties from the Common
Location	Tasks pane in the Delivery Services Console.
Servers	
Users	
Shortcut presentation	
Publish immediately	
	\square Skip this screen in the future
	Cancel

Notepad - Publish Appl	ication	×
CİTRIX' Jac		
Steps Velcome Basic Hame Type Location Servers Users Shortcut presentation Publish immediately	Enter the name and description that you want to be displayed to clients for this application. Display name: Notepad Appligation description: Froyo.Yao BBS:www.toxen.com.cn	
	< <u>B</u> ack <u>M</u> ext > Cancel	

图 44 设置要应用程序发布后显示的名称

otepad - Publish Application (3/8)		
CİTRIX '		
Type View the application	type. To change the type, use the Change application type task.	
Steps Velcome Basic Name Type Location Servers Users Shortcut presentation Publish immediately	Choose the type of application to publish. Server desktop Content Application Application type Accessed from a server Streamed if possible, otherwise accessed from a server Server application type: Installed application Streamed to client Note: To change the application type after publishing it, you must use the Change Application Type task. Quick Help Grants users access to a single application already installed on your servers.	
	< <u>B</u> ack Cancel	

图 45 默认配置即可, Next

Notepad - Publish Appli	cation (4/8)	×
CİTRIX '		
Location Select and configure t	the resource being published.	
Steps V Welcome Basic	Enter the application location Enter the command line for the application you want to publish. You co also specify a default working directory for users. <u>More</u> <u>C</u> ommand line:	an
 Name Type Location Servers Users Shortcut presentation Publish immediately 	c:\windows\system32\notepad.exe Working directory: c:\windows\system32 Isolate application Settings	Brows <u>e</u>
	<u> </u>	Cancel

图 46Browser 选择程序的可执行文件

Froyo's Blog:	http://	/xenme.com
, 0		

Notepad -	- Publish Application (5/8)	X
CITRI	X.	
en ki	~	
Servers Conf		
	Select Servers	×
Steps	Look in: 🔁 Servers 🔽 🖛 💼 🎫 🗸 🖓 🗸	F
✓ Welcor	Add 3	
Basic	2	ocation
🖌 . Nал	Add All	
🗸 Тур	Include	
🖌 Loc		
► Sei	<u>S</u> elected items:	
Use	Name 🛆 Location Remove	
She	Remove All	
Publi		
	OK 4 Cancel	
	Add Edit Remove	m file
	< <u>Back</u>	Cancel

图 47 添加该程序运行的 XenApp 服务器

Notepad - Publ	ish Application (6/8)	×
CİTRIX '	Select Users or Groups	×
Users Configure t	Add List of Names he users who XA2003R2	
Steps ✓ Welcome Basic ✓ Name ✓ Type	Print Operators Remote Desktop Users Replicator TelnetClients Users	1
 ✓ Location ✓ Servers ▶ Users 	✓ Add Accounts	
Shortcut presentati Publish immed	on diately	
	Add 1 Kemove Kemove Kemove Kemove Kemove	Cancel

图 48 选择哪些用户可以访问发布的应用

Notepad - Publish Appl	ication (7/8)	x
CİTRIX'		
Shortcut presentation		
Steps	Configure the appearance and location of the application shortcut.	
🗸 Welcome	These settings function differently on different clients. More	
Basic	Application icon	7
🖌 Name	Icon: Change icon.	
🗸 Туре		
✓ Location	Client application folder:	
✓ Servers		
🗸 Users		
Shortcut presentation	Application shortcut placement	
Publish immediately	□ Place under Programs folder (Citrix online plug-in only)	
	Start manu falder (Citvix online nlug-in only):	
	Start wend forder (or trix online prog in only).	r
	'	"
L		1
	<u> </u>	

Publish i mediately	
Steps Velcome Basic Name Type Location Servers Vsers Shortcut presentation Publishimmediately	The essential settings for this application have been configured. When the wirard is finished, the application will be available to the configured users immediately. If you don't want the application to be available immediately, you can disable it until you are ready. Disable application initially Advanced application settings default to the most common settings and are not required to be set for the application to be available to users. You can configure these settings now, or you can configure them later using the application Properties tasks. Configure advanced application settings now

图 49 选择 Finish 完成应用程序发布



图 50展开后,可以看到刚才发布的应用

VI)XenApp 系统测试



图 51 打开 IE, 输入 http://localhost, 然后输入账号密码等信息登录



图 52 登录成功后,点击 Notepad,打开应用,能打开应用程序,整个系统已经安装完成

😨 客户端文件安全	×
CITRI	X .
某个服务器应用程序正在请求访问您的本地 客户端文件。	
 要授予何种访问权限? ○ 无权限 (2) ○ 读取权限 (2) ○ 完全访问权限 (2) 	
 是否愿被再次询问? ● 总是询问我 (A) ● 对此服务器不再询问我 (E) ● 以后不再询问 (Y) 	
确定(Q) 取消(C)	

图 53XenApp 应用对本地文件的访问权限设置,根据需要设置

三、管理配置